

佛教慈濟醫療財團法人大林慈濟醫院
腹膜透析處置說明暨同意書

病人姓名_____，病歷號_____因病情需要，

需接受腹膜透析治療；醫師已向我說明治療

一、適應症：☐末期腎病變 合併 ☐尿毒症 ☐其他：_____

二、併發症：

可能發生之併發症：因腹膜透析可能發生

腹膜透析導管相關併發症		機率
手術期	內臟穿孔或出血	2%
	阻塞或網膜包覆	4.5-15%
	漏水(出口處或隱蔽處)	2-10%
腹壓相關	疝氣	10-15%
	胸腔積水	<5%
	生殖器水腫	10%
新陳代謝	高血糖	依病況而定
	高三酸甘油酯血症	
其他	腹膜硬化	0.8-2.8%

感染併發症	機率
腹膜炎	0.18-0.2/人年
導管出口處感染	0.12/人年
隧道感染	0.12/人年

病人本身疾病可能會對病人造成其他相關併發症，嚴重度會影響到腹膜透析併發症發生的機率，例如：合併有心血管疾病、心律不整、心衰竭、感染症、糖尿病、年紀大，其危險性將增加。

此份說明書是用於說明病人的病情及接受腹膜透析的目的及治療可能之併發症，其他替代方案作為病人與醫師討論的資料，經醫師說明後若病人仍有疑問，請在簽署同意書前與醫師討論。

醫師簽名：

☐ 我已充分瞭解醫師之說明及上述所載之內容。

與病人之關係：

其他：

住址：

電話：

病人(或家屬)：

見證人(如無見證人得免填載)：

日期：西元 年 月 日 時間： 時 分

(*若您拿到的是沒有醫師聲明簽章之同意書，請勿先在上面簽名)

參考文獻：

1. De Alvaro, F., Selgas, R., Bajo, M. A., Serrano, P., Fernandez-Reyes, M. J., Del Peso, G., ... & Dapena, F. (1994). Moncrief's technique for peritoneal catheter placement: experience of a CAPD unit. In *Advances in peritoneal dialysis. Conference on Peritoneal Dialysis*,10,199-202.
PMID : 7999827
2. Kawanishi, H., Kawaguchi, Y., Fukui, H., Hara, S., Imada, A., Kubo, H., ... & Long-Term Peritoneal Dialysis Study Group. (2004). Encapsulating peritoneal sclerosis in Japan: a prospective, controlled, multicenter study.*American Journal of Kidney Diseases*,44(4), 729-737.
<https://doi.org/10.1053/j.ajkd.2004.06.020>
3. Rebecca J Schmidt, DO, FACP, Jean L Holley, MD, FACP.(2020).Noninfectious complications of peritoneal dialysis catheters.*UpToDate*. Retrieved Jan,06, 2020, from
[https://www.uptodate.com/contents/ Noninfectious-complications-of-peritoneal-dialysis-catheters](https://www.uptodate.com/contents/Noninfectious-complications-of-peritoneal-dialysis-catheters)
4. 張其軒、林秉熙、江守山（2002）·腹膜透析之機械性併發症·腎臟與透析，14(2)，84-88。
[https://doi.org/10.6340/KD.2002\(2\).08](https://doi.org/10.6340/KD.2002(2).08)